



## C-USB/AB

USB 2.0 A (M) to B (M) Cable

---



Kramer's C-USB/AB is a high-speed USB 2.0 type-A male to type-B male cable used to connect computers and peripheral devices such as, printers, scanners, cameras, keyboards, mice and other digital devices for superior signal transfer of up to 480Mbps

### FEATURES

---

USB Type-A Male to Type-B Male

Transfer Rates up to 480Mbps

Foil & Overall Braid Provide Maximum Protection Against EMI/RFI

Molded Strain Relief

Compatible with USB Specifications 1.0 and 1.1

RoHS Compliant

Varied Selection of Lengths - Available in versions of 3 to 15ft (0.9 to 4.6m)

Note - The cable's color can vary in some cases



## TECHNICAL SPECIFICATIONS

---

|            |                                                       |
|------------|-------------------------------------------------------|
| OVERALL    | TYPE: USB 2.0 High speed                              |
|            | MAX. DATA RATE: 480Mbps                               |
| PHYSICAL   | CONNECTOR A: USB type-A male                          |
|            | CONNECTOR B: USB type-B male                          |
|            | CONNECTOR PLATING: Nickel                             |
|            | CONDUCTORS: 3-6ft: 28AWG; 10-15ft: 28/24AWG           |
|            | OVERALL SHEATH DIAMETER: 3-6ft: 3.5mm, 10-15ft: 4.5mm |
| REGULATORY | OUTER SHEATH COLOR: Gray                              |
|            | STANDARDS: 2011/65/EU                                 |



#### CONFIGURATIONS

|             |                              |
|-------------|------------------------------|
| C-USB/AB-3  | USB 2.0 A (M) to B (M) Cable |
| C-USB/AB-6  | USB 2.0 A (M) to B (M) Cable |
| C-USB/AB-10 | USB 2.0 A (M) to B (M) Cable |
| C-USB/AB-15 | USB 2.0 A (M) to B (M) Cable |